

## Canine flea, tick, and heartworm prevention and control guide



	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Flies (biting)	Flies (sand)	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma caninum)	Hookworms (ancylostoma braziliense)	Hookworms (uncinaria stenocephala)	Lice	Mites, mange (sarcoptes scabiei)	Mites (non-mange)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxascaris leonina)	Tapeworms (dipylidium caninum)	Tapeworms (echinococcus spp.)	Tapeworms (taenia spp.)	Ticks (amblyomma americanum "one star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipicephalus sanguineus "brown dog ticks")	Ticks (unspecified)	Whipworms (trichuris vulpis)
Aurora	Revolt™ (Rx)	Topical	Dogs age 6 weeks and older	Selamectin (2.7 mg/lb)	•	•			•					•														
	Frontline® Gold for Dogs	Topical	Dogs age 8 weeks and older weighing 5 lbs or more	Fipronil (9.8%)/ (S)-Methoprene (8.8%)/ Pyriproxyfen (0.25%)		•							•									•						
Boehringer	Frontline® Shield for Dogs	Topical	Dogs age 9 weeks and older weighing 5 lbs or more	Fipronil (6.01%)/ Permethrin (44.88%)/ Pyriproxyfen (1.8%)		•	•						•	•		•						•		•	•	•		
	Heartgard® Plus Chewables for Dogs (Rx)	Chewable	Dogs age 6 weeks and older	Ivermectin (2.72 mcg/lb)/ Pyrantel (2.27 mg/lb)					•	•	•	•					•	•										
	NexGard® Chewables (Rx)	Chewable	Dogs age 8 weeks and older weighing 4 lbs or more	Afoxolaner (1.14 mg/lb)		•																•		•	•	•		
	NexGard® Plus (Rx)	Chewable	Dogs age 8 weeks and older weighing 4 lbs or more	Afoxolaner (1.14 mg/lb)/ Moxidectin (5.45 mcg/lb)/ Pyrantel (2.27 mg/lb)		•			•	•	•	•						•	•			•		•	•	•		

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

## Canine flea, tick, and heartworm prevention and control guide



	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Flies (biting)	Flies (sand)	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma caninum)	Hookworms (ancylostoma braziliense)	Hookworms (uncinaria stenocephala)	Lice	Mites, mange (sarcoptes scabiei)	Mites (non-mange)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxascaris leonina)	Tapeworms (dipylidium caninum)	Tapeworms (echinococcus spp.)	Tapeworms (taenia spp.)	Ticks (amblyomma americanum "one star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipicephalus sanguineus "brown dog ticks")	Ticks (unspecified)	Whipworms (trichuris vulpis)
Ceva	Imectro™ Chew (Rx)	Chewable	Dogs age 8 weeks and older	Ivermectin (2.72 mcg/lb)/ Pyrantel (2.27 mg/lb)/ Praziquantel (2.27 mg/lb)					•	•	•	•					•	•	•		•							
	MilbeGuard™ Flavored Tablets (Rx)	Tablet	Dogs age 4 weeks and older weighing 2 lbs or more	Milbemycin Oxime (0.23 mg/lb)					•	•							•	•									•	
	Vectra for Dogs and Puppies®	Topical	Dogs age 8 weeks and older weighing 2.5 lbs or more	Dinotefuran (22%)/ Pyriproxyfen (3%)		•																						
	Vectra 3D® for Dogs and Puppies	Topical	Dogs age 8 weeks and older weighing 5 lbs or more	Dinotefuran (4.95%)/ Pyriproxyfen (0.44%)/ Permethrin (36.08%)		•	•	•							•	•							•	•	•	•	•	

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

## Canine flea, tick, and heartworm prevention and control guide



	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Flies (biting)	Flies (sand)	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma caninum)	Hookworms (ancylostoma braziliense)	Hookworms (uncinaria stenocephala)	Lice	Mites, mange (sarcoptes scabiei)	Mites (non-mange)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxascaris leonina)	Tapeworms (dipylidium caninum)	Tapeworms (echinococcus spp.)	Tapeworms (taenia spp.)	Ticks (amblyomma americanum "one star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipcephalus sanguineus "brown dog ticks")	Ticks (unspecified)	Whipworms (trichuris vulpis)	
Elanco	Advantage Multi® Topical Solution for Dogs (Rx)	Topical	Dogs age 7 weeks and older weighing 3 lbs or more	Imidacloprid (10%)/ Moxidectin (2.5%)		•			•	•	•			•			•	•										•	
	Advantage® II for Dogs	Topical	Dogs age 7 weeks and older weighing 3 lbs or more	Imidacloprid (9.1%)/ Pyriproxyfen (0.46%)		•							•																
	Comfortis® Chewable Tablets (Rx)	Chewable	Dogs age 14 weeks and older weighing 4.4 lbs or more	Spinosad (13.5 mg/lb)		•																							
	Credelio™ Chewable Tablets (Rx)	Tablet	Dogs age 8 weeks and older weighing 4.4 lbs or more	Lotilaner (9 mg/lb)		•																	•		•	•	•		
	Interceptor® Flavor Tabs® (Rx)	Tablet	Dogs age 4 weeks and older weighing 2 lbs or more	Milbemycin Oxime (0.23 mg/lb)						•	•							•	•									•	
	Interceptor® Plus (Rx)	Chewable	Dogs age 6 weeks and older weighing 2 lbs or more	Milbemycin Oxime (0.23 mg/lb)/ Praziquantel (2.28 mg/lb)						•	•							•	•	•	•							•	

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

## Canine flea, tick, and heartworm prevention and control guide



	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Flies (biting)	Flies (sand)	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma caninum)	Hookworms (ancylostoma braziliense)	Hookworms (uncinaria stenocephala)	Lice	Mites, mange (sarcoptes scabiei)	Mites (non-mange)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxascaris leonina)	Tapeworms (dipylidium caninum)	Tapeworms (echinococcus spp.)	Tapeworms (taenia spp.)	Ticks (amblyomma americanum "one star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipicephalus sanguineus "brown dog ticks")	Ticks (unspecified)	Whipworms (trichuris vulpis)
Elanco	K9 Advantix® II	Topical	Dogs age 7 weeks and older weighing 4 lbs or more	Imidacloprid (8.8%)/ Permethrin (44%)/ Pyriproxyfen (0.44%)		•	•						•			•						•		•	•	•		
	Seresto® Dog	Collar	Dogs age 7 weeks and older	Flumethrin (4.5%)/ Imidacloprid (10%)		•							•	•								•		•	•	•		
	Trifexis® Chewable Tablets (Rx)	Chewable	Dogs age 8 weeks and older weighing 5 lbs or more	Milbemycin Oxime (0.2 mg/lb)/ Spinosad (13.5 mg/lb)		•			•	•							•	•									•	
Farnam	Adams™ Plus Flea & Tick Collar for Dogs	Collar	Dogs age 6 weeks and older	Tetrachlorvinphos (14.55%)/(S)-Methoprene (1.02%)		•																•		•	•			

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

## Canine flea, tick, and heartworm prevention and control guide



	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Flies (biting)	Flies (sand)	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma caninum)	Hookworms (ancylostoma braziliense)	Hookworms (uncinaria stenocephala)	Lice	Mites, mange (sarcoptes scabiei)	Mites (non-mange)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxascaris leonina)	Tapeworms (dipylidium caninum)	Tapeworms (echinococcus spp.)	Tapeworms (taenia spp.)	Ticks (amblyomma americanum "one star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipicephalus sanguineus "brown dog ticks")	Ticks (unspecified)	Whipworms (trichuris vulpis)
Merck	Activyl® Protector Band for Dogs	Collar	Dogs age 12 weeks or older	Deltamethrin (4%)		•										•												
	Bravecto® 1- Month Chews (Rx)	Chewable	Dogs age 8 weeks and older weighing 4.4 lbs or more	Fluralaner (4.5 mg/lb)		•																•	•	•	•			
	Bravecto® Chews (Rx)	Chewable	Dogs age 6 months and older weighing 4.4 lbs or more	Fluralaner (11.4 mg/lb)		•																	•	•	•	•		
	Bravecto® Topical Solution for Dogs (Rx)	Topical	Dogs age 6 months and older weighing 4.4 lbs or more	Fluralaner (11.4 mg/lb)		•																	•	•	•	•		
	Sentinel® Flavor Tabs® (Rx)	Tablet	Dogs age 4 weeks and older weighing 2 lbs or more	Milbemycin Oxime (0.23 mg/lb)/ Lufenuron (4.55 mg/lb)		•			•	•								•	•									•
	Sentinel® Spectrum® (Rx)	Chewable	Dogs age 6 weeks and older weighing 2 lbs or more	Milbemycin Oxime (0.23 mg/lb)/ Lufenuron (4.55 mg/lb)/ Praziquantel (2.28 mg/lb)		•			•	•								•	•	•	•							•
	Tri-Heart® Plus Chewable Tablets (Rx)	Chewable	Dogs age 6 weeks and older	Ivermectin (2.72 mcg/lb)/ Pyrantel (2.27 mg/lb)					•	•	•	•						•	•									

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

## Canine flea, tick, and heartworm prevention and control guide



	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Flies (biting)	Flies (sand)	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma caninum)	Hookworms (ancylostoma braziliense)	Hookworms (uncinaria stenocephala)	Lice	Mites, mange (sarcoptes scabiei)	Mites (non-mange)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxascaris leonina)	Tapeworms (dipylidium caninum)	Tapeworms (echinococcus spp.)	Tapeworms (taenia spp.)	Ticks (amblyomma americanum "one star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipcephalus sanguineus "brown dog ticks")	Ticks (unspecified)	Whipworms (trichuris vulpis)
Neogen	Provecta™ Advanced for Dogs	Topical	Dogs age 7 weeks and older weighing 5 lbs or more	Imidacloprid (8.8%)/ Permethrin (44%)/ Pyriproxyfen (0.44%)		•	•						•			•						•	•	•	•			
	Provecta® Pro Flea & Tick Collar for Dogs	Collar	Dogs age 12 weeks or older	Deltamethrin (4%)/(S)-Methoprene (1.02%)		•											•							•	•	•	•	
Promika	Salvo™ Flea & Tick Collar for Dogs	Collar	Dogs age 12 weeks or older	Deltamethrin (4%)		•																	•	•	•			
	ZoGuard® Plus For Dogs	Topical	Dogs age 8 weeks and older weighing 4 lbs or more	Fipronil (9.8%)/ (S)-Methoprene (8.8%)		•							•									•	•	•	•			
VetOne/MWI	CrossBlock II™ For Dogs and Puppies	Topical	Dogs age 7 weeks and older weighing 3 lbs or more	Imidacloprid (9.1%)/ Pyriproxyfen (0.46%)		•																						
	Midamox™ for Dogs (Rx)	Topical	Dogs age 7 weeks and older weighing 3 lbs or more	Imidacloprid (10%)/ Moxidectin (2.5%)		•			•	•	•			•			•	•									•	
	PetPrevea™ Advanced for Dogs	Topical	Dogs age 7 weeks and older weighing 5 lbs or more	Imidacloprid (8.8%)/ Permethrin (44%)/ Pyriproxyfen (0.44%)		•	•						•			•						•	•	•	•			
	PetPrevea™ Plus for Dogs	Topical	Dogs age 8 weeks and older weighing 5 lbs or more	Fipronil (9.8%)/ (S)-Methoprene (8.8%)		•							•									•	•	•	•			

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

## Canine flea, tick, and heartworm prevention and control guide



	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Flies (biting)	Flies (sand)	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma caninum)	Hookworms (ancylostoma braziliense)	Hookworms (uncinaria stenocephala)	Lice	Mites, mange (sarcoptes scabiei)	Mites (non-mange)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxascaris leonina)	Tapeworms (dipylidium caninum)	Tapeworms (echinococcus spp.)	Tapeworms (taenia spp.)	Ticks (amblyomma americanum "one star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipicephalus sanguineus "brown dog ticks")	Ticks (unspecified)	Whipworms (trichuris vulpis)
VetOne/MWI	Selarid™ for Dogs (Rx)	Topical	Dogs age 6 weeks and older	Selamectin (2.7 mg/lb)	•	•			•					•														
	VetriShield Max™ Chewable Tablets for Dogs (Rx)	Chewable	Dogs age 8 weeks and older weighing 6 lbs or more	Ivermectin (2.72 mcg/lb)/ Pyrantel (2.27 mg/lb)/ Praziquantel (2.27 mg/lb)					•	•	•	•					•	•	•		•							
	VetriShield Plus™ Flavored Chewables for Dogs (Rx)	Chewable	Dogs age 6 weeks and older	Ivermectin (2.72 mcg/lb)/ Pyrantel (2.27 mg/lb)					•	•	•	•					•	•										
Virbac	Effipro® Plus Topical Solution for Dogs	Topical	Dogs age 8 weeks and older weighing 5 lbs or more	Fipronil (9.78%)/ Pyriproxyfen (2.94%)		•								•	•											•		
	Effitix® Plus Topical Solution for Dogs	Topical	Dogs age 8 weeks and older weighing 5 lbs or more	Fipronil (6%)/ Permethrin (44.8%)/ Pyriproxyfen (1.8%)		•	•							•		•						•		•	•	•		
	Iverhart Max® Soft Chews (Rx)	Chewable	Dogs age 8 weeks and older weighing 6 lbs or more	Ivermectin (2.72 mcg/lb)/ Pyrantel (2.27 mg/lb)/ Praziquantel (2.27 mg/lb)					•	•	•	•					•	•	•		•							
	Iverhart Plus® Flavored Chewables (Rx)	Chewable	Dogs age 6 weeks and older	Ivermectin (2.72 mcg/lb)/ Pyrantel (2.27 mg/lb)					•	•	•	•					•	•										
	Milbehart™ Flavored Tablets (Rx)	Tablet	Dogs age 4 weeks and older weighing 2 lbs or more	Milbemycin Oxime (0.23 mg/lb)					•	•							•	•									•	

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

## Canine flea, tick, and heartworm prevention and control guide



	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Flies (biting)	Flies (sand)	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma caninum)	Hookworms (ancylostoma braziliense)	Hookworms (uncinaria stenocephala)	Lice	Mites, mange (sarcoptes scabiei)	Mites (non-mange)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxascaris leonina)	Tapeworms (dipylidium caninum)	Tapeworms (echinococcus spp.)	Tapeworms (taenia spp.)	Ticks (amblyomma americanum "one star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipcephalus sanguineus "brown dog ticks")	Ticks (unspecified)	Whipworms (trichuris vulpis)
Virbac	Senegy™ for Dogs (Rx)	Topical	Dogs age 6 weeks or older	Selamectin (2.7 mg/lb)	•	•			•					•														
Zoetis	ProHeart® 6 Injectable for Dogs (Rx)	Injectable	Dogs age 6 months and older	Moxidectin (0.0773 mg/lb)					•	•	•																	
	ProHeart® 12 Injectable Suspension (Rx)	Injectable	Dogs age 6 months and older	Moxidectin (0.23 mg/lb)					•	•	•																	
	Revolution® for Dogs (Rx)	Topical	Dogs age 6 weeks and older	Selamectin (2.7 mg/lb))	•	•			•					•									•					
	Simparica™ Chewables (Rx)	Chewable	Dogs age 6 months and older weighing 2.8 lbs or more	Sarolaner (0.91 mg/lb)		•																	•	•	•	•	•	
	Simparica TRIO™ Chewable Tablets (Rx)	Chewable	Dogs age 8 weeks and older weighing 2.8 lbs or more	Sarolaner (0.54 mg/lb)/ Moxidectin (0.011 mg/lb)/ Pyrantel (2.27 mg/lb)		•			•	•	•						•	•				•	•	•	•	•		

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.



## Feline flea, tick, and heartworm prevention and control guide



	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma tubaeforme)	Hookworms (ancylostoma braziliense)	Lice (chewing)	Mange (sarcoptes scabiei)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxocara cati)	Roundworms (toxascaris leonina)	Ticks (amblyomma americanum "lone star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (xodes scapularis "deer ticks", "black legged ticks")	Ticks (rhinicephalus sanguineus "brown dog ticks")	Ticks (unspecified)
Aurora	Revolt™ (Rx)	Topical	Cats age 8 weeks and older	Selamectin (2.7 mg/lb)	•	•	•	•						•							
Boehringer	Centragard™ for Cats (Rx)	Topical	Cats age 7 weeks and older weighing 1.8 lbs or more	Eprinomectin (0.23 mg/lb)/ Praziquantel (4.55 mg/lb)			•	•	•					•							
	Frontline® Gold for Cats	Topical	Cats age 8 weeks and older weighing 3 lbs or more	Fipronil (9.8%)/ (S)-Methoprene (11.8%)/ Pyriproxyfen (0.25%)		•				•	•					•		•	•	•	
	Heartgard® Chewables for Cats (Rx)	Chewable	Cats age 6 weeks and older	Ivermectin (10.9 mcg/lb)			•	•	•												
Ceva	NexGuard® Combo for Cats (Rx)	Topical	Cats age 8 weeks and older weighing 1.8 lbs or more	Esafoxolaner (0.65 mg/lb)/ Eprinomectin (0.22 mg/lb)/ Praziquantel (4.53 mg/lb)		•	•	•	•					•		•	•			•	
	Catego™ for Cats	Topical	Cats age 8 weeks and older weighing 1.5 lbs or more	Dinotefuran (22%)/ Fipronil (8.92%)/ Pyriproxyfen (3%)		•				•											•
	MilbeGuard™ Flavored Tablets (Rx)	Tablet	Cats age 6 weeks and older weighing 1.5 lbs or more	Milbemycin Oxime (0.23 mg/lb)			•		•					•							
	Vectra for Cats and Kittens®	Topical	Cats age 8 weeks and older weighing 2 lbs or more	Dinotefuran (22%)/ Pyriproxyfen (3%)		•															

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

## Feline flea, tick, and heartworm prevention and control guide



	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma tubaeforme)	Hookworms (ancylostoma braziliense)	Lice (chewing)	Mange (sarcoptes scabiei)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxocara cati)	Roundworms (toxascaris leonina)	Ticks (amblyomma americanum "lone star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhinicephalus sanguineus "brown dog ticks")	Ticks (unspecified)
Elanco	Advantage Multi® for Cats (Rx)	Topical	Cats age 9 weeks and older weighing 2 lbs or more	Imidacloprid (10%)/ Moxidectin (1%)	•	•	•	•						•							
	Advantage® II for Cats	Topical	Cats age 8 weeks and older weighing 2 lbs or more	Imidacloprid (9.1%)/ Pyriproxyfen (0.46%)		•															
	Cheristin® for Cats	Topical	Cats age 8 weeks and older weighing 1.8 lbs or more	Spinetoram (11.2%)		•															
	Comfortis® Chewable Tablets (Rx)	Chewable	Cats age 14 weeks and older weighing 4.1 lbs or more	Spinosad (22.5 mg/lb)		•															
	Credelio™ CAT (Rx)	Tablet	Cats age 8 weeks and older weighing 2 lbs or more	Lotilaner (2.7 mg/lb)		•														•	
	Interceptor® Flavor Tabs® (Rx)	Tablet	Cats age 6 weeks and older weighing 1.5 lbs or more	Milbemycin Oxime (0.9 mg/lb)			•		•					•							
	Seresto® Cat	Collar	Cats age 10 weeks and older	Flumethrin (4.5%)/ Imidacloprid (10%)		•										•		•	•	•	•
Farnam	Adams™ Plus Flea & Tick Collar for Cats	Collar	Cats age 12 weeks and older	Tetrachlorvinphos (14.55%)/ (S)-Methoprene (1.02%)		•														•	

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

## Feline flea, tick, and heartworm prevention and control guide



	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma tubaeforme)	Hookworms (ancylostoma braziliense)	Lice (chewing)	Mange (sarcoptes scabiei)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxocara cati)	Roundworms (toxocaris leonina)	Ticks (amblyomma americanum "lone star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhinicephalus sanguineus "brown dog ticks")	Ticks (unspecified)
Merck	Bravecto® Plus for Cats (Rx)	Topical	Cats age 6 months and older weighing 2.6 lbs or more	Fluralaner (18.2 mg/lb)/ Moxidectin (0.9 mg/lb)		•	•	•						•				•	•		
	Bravecto® Topical Solution for Cats (Rx)	Topical	Cats age 6 months and older weighing 2.6 lbs or more	Fluralaner (18.2 mg/lb)		•												•	•		
Neogen	Provecta® II for Cats	Topical	Cats age 8 weeks and older weighing 5 lbs or more	Imidacloprid (9.1%)/ Pyriproxyfen (0.46%)		•															
Promika	ZoGuard® Plus For Cats	Topical	Cats age 8 weeks and older weighing 1.5 lbs or more	Fipronil (9.8%)/ (S)-Methoprene (11.8%)			•			•					•		•	•	•		
VetOne/MWI	CrossBlock II™ For Cats	Topical	Cats age 8 weeks and older weighing 2 lbs or more	Imidacloprid (9.1%)/ Pyriproxyfen (0.46%)		•															
	Midamox™ for Cats (Rx)	Topical	Cats age 9 weeks and older weighing 2 lbs or more	Imidacloprid (10%)/ Moxidectin (1%)	•	•	•	•						•							
	PetPrevea™ II for Cats	Topical	Cats age 8 weeks and older weighing 5 lbs or more	Imidacloprid (9.1%)/ Pyriproxyfen (0.46%)			•														
	PetPrevea™ Plus for Cats	Topical	Cats age 8 weeks and older weighing 1.5 lbs or more	Fipronil (9.8%)/ (S)-Methoprene (11.8%)			•			•					•		•	•	•		
	Selarid™ for Cats (Rx)	Topical	Cats age 8 weeks and older	Selamectin (2.7 mg/lb)	•	•	•	•						•							

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.

## Feline flea, tick, and heartworm prevention and control guide



	Product	Form	Approvals	Active ingredient(s)	Ear mites (otodectes cynotis)	Fleas	Heartworms (dirofilaria immitis)	Hookworms (ancylostoma tubaeforme)	Hookworms (ancylostoma braziliense)	Lice (chewing)	Mange (sarcoptes scabiei)	Mosquitos	Roundworms (toxocara canis)	Roundworms (toxocara cati)	Roundworms (toxascaris leonina)	Ticks (amblyomma americanum "lone star ticks")	Ticks (amblyomma maculatum "gulf coast ticks")	Ticks (dermacentor variabilis "american dog ticks")	Ticks (ixodes scapularis "deer ticks", "black legged ticks")	Ticks (rhhipicephalus sanguineus "brown dog ticks")	Ticks (unspecified)
Virbac	Effipro® Plus Topical Solution for Cats	Topical	Cats age 8 weeks and older weighing 1.5 lbs or more	Fipronil (9.58%)/ Pyriproxyfen (11.65%)		•				•											
	Parasedge™ Multi for Cats (Rx)	Topical	Cats age 9 weeks and older weighing 2 lbs or more	Imidacloprid (10%)/ Moxidectin (1%)	•	•	•	•						•							
	Senergy™ for Cats (Rx)	Topical	Cats age 8 weeks and older	Selamectin (2.7 mg/lb)	•	•	•	•						•							
Zoetis	Revolution® for Cats (Rx)	Topical	Cats age 8 weeks and older	Selamectin (2.7 mg/lb)	•	•	•	•						•							
	Revolution® Plus (Rx)	Topical	Cats age 8 weeks and older weighing 2.8 lbs or more	Selamectin (2.7 mg/lb)/ Sarolaner (0.45 mg/lb)	•	•	•	•						•		•	•	•			

The products listed in this guide are those carried by MWI Animal Health that offer either preventive or treatment and control label claims for one or more parasites. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products on product packaging or on the manufacturer's website. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Animal Health is not responsible for typographical errors, or otherwise.